

Revision Date: 08/23/2019

# SAFETY DATA SHEET

# 1. Identification

Material name: OB - STAIN-CRETE CHEM STAIN - 5 GL BLACK

Material: CSCR G005 080

Recommended use and restriction on use

Recommended use: Additive Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD CLEVELAND OH 44110 US

Contact person:EH&S DepartmentTelephone:216-531-9222

Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

Category 4

# 2. Hazard(s) identification

#### **Hazard Classification**

## **Health Hazards**

Acute toxicity (Oral)

Acute toxicity (Inhalation - dust and mist)

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Respiratory sensitizer

Skin sensitizer

Germ Cell Mutagenicity

Category 1

Category 1

Category 1

Category 1

Carcinogenicity Category 1A
Toxic to reproduction Category 1B

# **Unknown toxicity - Health**

Acute toxicity, oral 0 %
Acute toxicity, dermal 19.51 %
Acute toxicity, inhalation, vapor 32.98 %
Acute toxicity, inhalation, dust 19.51 %

or mist

#### **Environmental Hazards**

Acute hazards to the aquatic Category 1 environment

1/17



Revision Date: 08/23/2019

# **Unknown toxicity - Environment**

Acute hazards to the aquatic 73.06 %

environment

Chronic hazards to the aquatic 100 %

environment

#### **Label Elements**

## **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Fatal if inhaled.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

Very toxic to aquatic life.

Precautionary Statements

**Prevention:** Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a

well-ventilated area. [In case of inadequate ventilation] wear respiratory protection. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use

personal protective equipment as required. Avoid release to the

environment.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for

breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor/... IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation or rash occurs:

Get medical advice/attention. IF SWALLOWED: Call a POISON CENTRE/doctor/... if you feel unwell. Rinse mouth. Do NOT induce

vomiting. Immediately call a POISON CENTER/doctor. Specific treatment is urgent (see on this label). Wash contaminated clothing before reuse. Collect

spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked



Revision Date: 08/23/2019

up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Chromic acid , disodium salt	10588-01-9	10 - <20%
Manganese Chloride	7773-01-5	10 - <25%
Hydrogen chloride	7647-01-0	5 - <10%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

#### Description of necessary first-aid measures

**Inhalation:** Call a physician or poison control center immediately. If breathing

stops, provide artificial respiration. Move to fresh air. If breathing is

difficult, give oxygen.

**Skin Contact:** Call a physician or poison control center immediately. Destroy or

thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get

medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Call a physician or poison control

center immediately.

**Ingestion:** Rinse mouth. Call a physician or poison control center immediately.

Never give liquid to an unconscious person. Do not induce vomiting

without advice from poison control center.

**Personal Protection for First-**

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping. Extreme irritation of eyes and mucous

membranes, including burning and tearing.

**Hazards:** No data available.

#### Indication of immediate medical attention and special treatment needed



Revision Date: 08/23/2019

**Treatment:** Symptoms may be delayed.

# 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

#### Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and

emergency procedures:

Ventilate closed spaces before entering them. Evacuate area. See Section 8 of the SDS for Personal Protective Equipment. Keep upwind. Keep unauthorized personnel away. Do not touch damaged containers or spilled

material unless wearing appropriate protective clothing.

Accidental release measures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for containment and cleaning

ıın.

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

# 7. Handling and storage

#### Handling

Technical measures (e.g. Local and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.



Revision Date: 08/23/2019

**Safe handling advice:** Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.Do not taste or swallow. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get

in eyes, on skin, on clothing. Avoid contact with eyes, skin, and clothing.

Contact avoidance measures: No data available.

**Hygiene measures:** Do not eat, drink or smoke when using the product. Wash hands after

handling. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with

skin.

Storage

Safe storage conditions: Store locked up.

Safe packaging materials: No data available.

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Chromic acid , disodium salt -	TWA	0.0002	US. ACGIH Threshold Limit Values (03 2018)
Inhalable fraction as Cr(VI)		mg/m3	
	STEL	0.0005	US. ACGIH Threshold Limit Values (03 2018)
		mg/m3	
	TWA	0.0002	US. ACGIH Threshold Limit Values (03 2018)
		mg/m3	, , ,
	STEL	0.0005	US. ACGIH Threshold Limit Values (03 2018)
		mg/m3	, , ,
Chromic acid, disodium salt	TWA	0.005 mg/m3	US. OSHA Specifically Regulated Substances
ŕ		9	(29 CFR 1910.1001-1053) (02 2006)
	OSHA AC	0.0025	US. OSHA Specifically Regulated Substances
	т –	mg/m3	(29 CFR 1910.1001-1053) (02 2006)
	Ceiling	0.1 mg/m3	US. OSHA Table Z-2 (29 CFR 1910.1000) (02
		· ·	2006)
Manganese Chloride -	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values (02 2013)
Inhalable fraction as Mn		_	, , ,
Manganese Chloride -	TWA	0.02 mg/m3 US. ACGIH Threshold Limit Values (02 2013	
Respirable fraction as Mn		· ·	, ,
Manganese Chloride - as Mn	Ceiling	5 mg/m3	US. OSHA Table Z-1 Limits for Air
		9	Contaminants (29 CFR 1910.1000) (02 2006)
Hydrogen chloride	Ceiling	2 ppm	US. ACGIH Threshold Limit Values (2011)
	Ceiling	5 ppm 7 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000) (02 2006)



Revision Date: 08/23/2019

Chemical name	Туре	Exposure Limit Values	Source
Chromic acid , disodium salt - as Cr	TWA	0.05 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Chromic acid , disodium salt - as Cr	TWA	0.05 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Chromic acid , disodium salt - Total - as Cr	TWA	0.025 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018)
	CEILING	0.1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018)
Manganese Chloride - as Mn	TWA	0.2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Manganese Chloride - Fume, total dust as Mn	TWA	0.2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Manganese Chloride - Respirable as Mn	TWA	0.02 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018)
Manganese Chloride - Total - as Mn	TWA	0.2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018)
Hydrogen chloride	CEILING	2 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Hydrogen chloride	CEV	2 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Hydrogen chloride	CEILING	5 ppm 7.5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)

Chemical name	Туре	Exposure Limit Values	Source	
Chromic acid , disodium salt - as Cr	TWA	0.05 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)	
Chromic acid , disodium salt - as Cr	TWA	0.05 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)	
Chromic acid , disodium salt - Total - as Cr	TWA	0.025 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018)	
	CEILING	0.1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018)	



Revision Date: 08/23/2019

Manganese Chloride - as Mn	TWA	0.2 mg/m3 Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)		
Manganese Chloride - Fume, total dust as Mn	TWA	0.2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)	
Manganese Chloride - Respirable as Mn	TWA	0.02 mg/m3	Canada. British Columbia OELs. (Occupationa Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018)	
Manganese Chloride - Total - as Mn	TWA	0.2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2018)	
Hydrogen chloride	CEILING	2 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)	
Hydrogen chloride	CEV	2 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)	
Hydrogen chloride	CEILING	5 ppm 7.5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)	
Sulfuric acid - Mist.	TWA	0.2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)	
Sulfuric acid - Thoracic fraction.	TWA	0.2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)	
Sulfuric acid	STEL	3 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)	
	TWA	1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)	

**Biological Limit Values** 

Chemical Identity	Exposure Limit Values	Source
Chromic acid , disodium salt (Total chromium: Sampling time: End of shift at end of work week.)	25 μg/l (Urine)	ACGIH BEI (03 2013)
Chromic acid , disodium salt (Total chromium: Sampling time: Increase during shift.)	10 μg/l (Urine)	ACGIH BEI (03 2013)

**Exposure guidelines** 

Chromic acid ,	US. ACGIH Threshold Limit Values	Can be absorbed through
disodium salt		the skin.

# Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.



Revision Date: 08/23/2019

#### Individual protection measures, such as personal protective equipment

**General information:** Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

**Eve/face protection:** Wear a full-face respirator, if needed. Wear safety glasses with side shields

(or goggles) and a face shield.

**Skin Protection** 

**Hand Protection:** Use suitable protective gloves if risk of skin contact.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an

approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter,

cartridge or canister. Contact health and safety professional or

manufacturer for specific information.

**Hygiene measures:** Do not eat, drink or smoke when using the product. Wash hands after

handling. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with

skin.

## 9. Physical and chemical properties

#### **Appearance**

Physical state: liquid Form: liquid Color: Black

Odor: Mild sour/acidic
Odor threshold: No data available.

**pH:** < 1

Melting point/freezing point:No data available.Initial boiling point and boiling range:No data available.Flash Point:No data available.Evaporation rate:Slower than Ether

Flammability (solid, gas):

No
Upper/lower limit on flammability or explosive limits



Revision Date: 08/23/2019

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

Vapor pressure:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.2317

Solubility(ies)

Solubility in water: Miscible with water.
Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

Incompatible Materials: Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and

chromates). Metals. Strong bases.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** Causes severe skin burns. May cause an allergic skin reaction.

**Eye contact:** Causes serious eye damage.

**Ingestion:** Harmful if swallowed.

# Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

Revision Date: 08/23/2019

**Eye contact:** No data available.

**Ingestion:** No data available.

## Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 435.7 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Chromic acid, disodium LD 50 (Rabbit): > 2,000 mg/kg

salt

Inhalation

**Product:** ATEmix: 0.5 mg/l

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Chromic acid, in vivo (Rabbit): Irritating

disodium salt

Manganese Chloride in vivo (Rabbit): Not irritant

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Hydrogen chloride Rabbit, 1 d: Category 1

Respiratory or Skin Sensitization

**Product:** May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause sensitization by inhalation.

Carcinogenicity

**Product:** No data available.



Revision Date: 08/23/2019

# IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Chromic acid, disodium salt

Overall evaluation: Carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

Chromic acid , Known To Be Human Carcinogen.

disodium salt

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

Chromic acid,

disodium salt Cancer

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

# **Ecotoxicity:**

# Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):



Revision Date: 08/23/2019

Chromic acid, disodium LC 50 (Fathead minnow (Pimephales promelas), 96 h): 31.1 - 35.4 mg/l

salt Mortality

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Chromic acid, disodium EC 50 (Wa

salt

EC 50 (Water flea (Daphnia magna), 48 h): 0.098 - 0.129 mg/l Intoxication

Manganese Chloride EC 50 (Water flea (Daphnia magna), 48 h): 20 mg/l Intoxication

Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

**Persistence and Degradability** 

Biodegradation

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Manganese Chloride Brown trout (Salmo trutta), Bioconcentration Factor (BCF): 17.8 (Renewal)

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Mobility in soil: No data available.

Other adverse effects: Very toxic to aquatic organisms.

13. Disposal considerations



Revision Date: 08/23/2019

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

# 14. Transport information

#### TDG:

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid), 8, PG III

#### CFR / DOT:

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid), 8, PG III

#### IMDG:

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid), 8, PG III

#### **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

# 15. Regulatory information

#### **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Chemical Identity Reportable quantity

Chromic acid, disodium De minimis concentration: TSCA 6% Annual Export Notification required.

salt

# US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical Identity
Chromic acid , disodium salt

OSHA hazard(s)
Eye irritation
Skin sensitization

Cancer

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Chromic acid, disodium 10 lbs.

salt

Hydrogen chloride 5000 lbs. Sulfuric acid 1000 lbs.



Revision Date: 08/23/2019

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Acute toxicity (any route or exposure)

Skin Corrosion or Irritation

Serious eye damage or eye irritation Respiratory or Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Reproductive toxicity

# **SARA 302 Extremely Hazardous Substance**

Reportable

**Threshold Planning Quantity Chemical Identity** quantity 5000 lbs. 500 lbs.

Hydrogen chloride Sulfuric acid 1000 lbs. 1000 lbs.

# **SARA 304 Emergency Release Notification**

**Chemical Identity** Reportable quantity

Chromic acid , disodium 10 lbs.

salt

Manganese Chloride

Hydrogen chloride 5000 lbs. Sulfuric acid 1000 lbs.

#### SARA 311/312 Hazardous Chemical

Chemical Identity **Threshold Planning Quantity** 

Hydrogen chloride 500lbs Sulfuric acid 500lbs Chromic acid, disodium 10000 lbs

salt

Manganese Chloride 10000 lbs

# SARA 313 (TRI Reporting)

# **Chemical Identity**

Chromic acid, disodium

salt

Manganese Chloride Hydrogen chloride

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

**Chemical Identity** Reportable quantity

Hydrogen chloride lbs Hydrogen chloride lbs Sulfuric acid lbs

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# **US State Regulations**

## **US. California Proposition 65**



Revision Date: 08/23/2019



#### **WARNING**

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

# US. New Jersey Worker and Community Right-to-Know Act

# **Chemical Identity**

Chromic acid , disodium salt Manganese Chloride Hydrogen chloride

#### **US. Massachusetts RTK - Substance List**

# **Chemical Identity**

Chromic acid , disodium salt Hydrogen chloride Sulfuric acid

# US. Pennsylvania RTK - Hazardous Substances

# **Chemical Identity**

Chromic acid , disodium salt Manganese Chloride Hydrogen chloride

#### **US. Rhode Island RTK**

## **Chemical Identity**

Chromic acid , disodium salt Hydrogen chloride

# International regulations

#### Montreal protocol

Not applicable

# Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable

# **Kyoto protocol**

Not applicable

#### VOC:

Regulatory VOC (less water and

: 0 g/l

exempt solvent)

VOC Method 310 : 0.00 %



Revision Date: 08/23/2019

**Inventory Status:** 

Australia AICS: All components in this product are listed on or

exempt from the Inventory.

Canada DSL Inventory List: All components in this product are listed on or

exempt from the Inventory.

EINECS, ELINCS or NLP: All components in this product are listed on or

exempt from the Inventory.

Japan (ENCS) List:

One or more components in this product are

not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances: All components in this product are listed on or

exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI): All components in this product are listed on or

exempt from the Inventory.

Canada NDSL Inventory: One or more components in this product are

not listed on or exempt from the Inventory.

Philippines PICCS: All components in this product are listed on or

exempt from the Inventory.

US TSCA Inventory:

All components in this product are listed on or

exempt from the Inventory.

New Zealand Inventory of Chemicals: All components in this product are listed on or

exempt from the Inventory.

Japan ISHL Listing: One or more components in this product are

not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this product are

not listed on or exempt from the Inventory.

# 16.Other information, including date of preparation or last revision

**Revision Date:** 08/23/2019

Version #: 4.0

Further Information: No data available.



Revision Date: 08/23/2019

Disclaimer:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.