



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

# SAFETY DATA SHEET

## 1. Identification

**Material name:** TAMMSCOAT 35 SM SAND  
**Material:** TL3510505423

### Recommended use and restriction on use

**Recommended use:** Coatings

**Restrictions on use:** Not known.

### Manufacturer/Importer/Supplier/Distributor Information

Euclid Admixture Canada Inc.

2835 Grand-Allee

Saint Hubert QC J4T 2R4

CA

**Contact person:**

EH&S Department

**Telephone:**

(450)465-2233

**Emergency telephone number:**

1-800-424-9300 (US); 1-613-996-6666 (Canada)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

Skin sensitizer	Category 1
-----------------	------------

#### Unknown toxicity - Health

Acute toxicity, dermal	2.9 %
Acute toxicity, inhalation, vapor	21.46 %
Acute toxicity, inhalation, dust or mist	19.36 %

#### Environmental Hazards

Acute hazards to the aquatic environment	Category 3
--	------------

#### Unknown toxicity - Environment

Acute hazards to the aquatic environment	59.19 %
Chronic hazards to the aquatic environment	59.26 %

### Label Elements

#### Hazard Symbol:



**Signal Word:** Warning

**Hazard Statement:** May cause an allergic skin reaction.  
Harmful to aquatic life.

**Precautionary  
Statements**

**Prevention:** Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves.

**Response:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). Take off contaminated clothing and wash it before reuse.

**Disposal:** Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

**Hazard(s) not otherwise  
classified (HNOC):** None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%) <sup>*</sup>
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	10 - <30%
Titanium dioxide	13463-67-7	10 - <30%
Aluminum oxide	1344-28-1	0.1 - <1%
Iodopropynyl butylcarbamate	55406-53-6	0.01 - <0.1%
3(2H)-Isothiazolone, 2-methyl-	2682-20-4	0.0015 - <0.1%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

#### Description of necessary first-aid measures

**Inhalation:** Move to fresh air.

**Skin Contact:** Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.

**Eye contact:** Rinse immediately with plenty of water.



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

**Ingestion:** Rinse mouth thoroughly.

**Personal Protection for First-aid Responders:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### **Most important symptoms/effects, acute and delayed**

**Symptoms:** May cause skin and eye irritation.

**Hazards:** No data available.

#### **Indication of immediate medical attention and special treatment needed**

**Treatment:** Get medical attention if symptoms occur.

### **5. Fire-fighting measures**

**General Fire Hazards:** No unusual fire or explosion hazards noted.

#### **Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

#### **Special protective equipment and precautions for fire-fighters**

**Special fire-fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### **6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**Accidental release measures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Methods and material for containment and cleaning up:** Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

## 7. Handling and storage

### Handling

**Technical measures (e.g. Local and general ventilation):** Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

**Safe handling advice:** Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling.

**Contact avoidance measures:** No data available.

**Hygiene measures:** Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin. Observe good industrial hygiene practices.

### Storage

**Safe storage conditions:** Store away from incompatible materials. Store in original tightly closed container.

**Safe packaging materials:** No data available.

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust	TWA	0.05 mg/m <sup>3</sup>	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
	OSHA_AC_T	0.025 mg/m <sup>3</sup>	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust	PEL	0.05 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.1 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction	TWA	0.025 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values, as amended (02 2020)
Titanium dioxide - Total dust	PEL	15 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Titanium dioxide - Respirable fraction	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Total dust	TWA	15 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Respirable	TWA	5 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

fraction			amended (03 2016)
Titanium dioxide - Total dust	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Respirable finescale particles	TWA	2.5 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2022)
Titanium dioxide - Respirable nanoscale particles	TWA	0.2 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2022)
Aluminum oxide - Respirable fraction	TWA	1 mg/m3	US. ACGIH Threshold Limit Values, as amended (2011)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Aluminum oxide - Total dust	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Aluminum oxide - Respirable fraction	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Aluminum oxide - Total dust	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Aluminum oxide - Inhalable particles	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Aluminum oxide - Respirable particles	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)

Chemical name	Type	Exposure Limit Values	Source
Crystalline Silica (Quartz)/Silica Sand - Respirable fraction	TWA	0.10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Crystalline Silica (Quartz)/Silica Sand - Respirable dust	TWA	0.1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
	TWA	0.05 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction	TWA	0.025 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (08 2023)
Titanium dioxide - Total dust	TWA	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Titanium dioxide - Respirable fraction	TWA	3 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Titanium dioxide	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Titanium dioxide - Total dust	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Propylene glycol - Aerosol	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Propylene glycol - Vapor and aerosol.	TWA	50 ppm    155 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Aluminum oxide - Respirable fraction	TWA	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Aluminum oxide - Inhalable fraction	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Aluminum oxide - Respirable fraction	TWA	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Aluminum oxide - Total dust	TWA	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020)
Aluminum oxide - Inhalable particles	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Aluminum oxide - Respirable particles	TWA	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Aluminum oxide - Respirable fraction	TWA	3 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020)
Aluminum oxide - Respirable	TWA	1.0 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2022)
Aluminum oxide - Total dust	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)
Aluminum oxide - Respirable dust	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)

#### Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure  
limits and minimize the risk of inhalation of vapors and mist. Mechanical  
ventilation or local exhaust ventilation may be required.

#### Individual protection measures, such as personal protective equipment (PPE)

**Eye/face protection:** Wear goggles/face shield.



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

## Skin Protection

### Hand Protection:

Additional Information: Use suitable protective gloves if risk of skin contact.

### Skin and Body Protection:

Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

### Respiratory Protection:

In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

### Hygiene measures:

Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin. Observe good industrial hygiene practices.

## 9. Physical and chemical properties

### Appearance

**Physical state:** liquid

**Form:** liquid

**Color:** Light beige

**Odor:** Mild

**Odor threshold:** No data available.

**pH:** 9 - 10

**Melting point/freezing point:** -0.00 °C 32 °F

**Initial boiling point and boiling range:** 100 °C 212 °F

**Flash Point:** No data available.

**Evaporation rate:** Slower than Ether

**Flammability (solid, gas):** No

### Upper/lower limit on flammability or explosive limits

**Flammability limit - upper (%):** No data available.

**Flammability limit - lower (%):** No data available.

**Explosive limit - upper:** No data available.

**Explosive limit - lower:** No data available.

**Vapor pressure:** No data available.

**Vapor density:** Vapors are heavier than air and may travel along the floor and in the bottom of containers.

**Relative density:** 1.4

### Solubility(ies)

**Solubility in water:** Soluble

**Solubility (other):** No data available.

**Partition coefficient (n-octanol/water):** No data available.

**Auto-ignition temperature:** No data available.

**Decomposition temperature:** No data available.

**Viscosity:** No data available.



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	Strong acids. Strong bases.
<b>Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
<b>Skin Contact:</b>	May cause an allergic skin reaction.
<b>Eye contact:</b>	Eye contact is possible and should be avoided.
<b>Ingestion:</b>	May be ingested by accident. Ingestion may cause irritation and malaise.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

<b>Oral Product:</b>	Not classified for acute toxicity based on available data.
----------------------	--



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

**Specified substance(s):**

Aluminum oxide LD 50 (Rat): > 15,900 mg/kg

Iodopropynyl butylcarbamate LD 50 (Rat): 1.1 g/kg  
LD 50 (Rat): 1,056 mg/kg

3(2H)-Isothiazolone, 2-methyl- LD 50 (Rat): 120 mg/kg

**Dermal Product:** ATEmix: 103,364.51 mg/kg

**Inhalation Product:**

**Specified substance(s):**

Iodopropynyl butylcarbamate LC 50 (Rat): 0.63 mg/l

3(2H)-Isothiazolone, 2-methyl- LC 50 (Rat): 0.1 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Aluminum oxide in vivo (Rabbit): Not irritating , 24 - 72 h

Iodopropynyl butylcarbamate in vivo (Rabbit): not classified ( CLP (1272/2008)) , 24 - 72 h

3(2H)-Isothiazolone, 2-methyl- in vivo (Rabbit): Corrosive , 24 - 72 h

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Aluminum oxide Rabbit, 24 - 72 h: Not irritating

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Carcinogenicity**



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

**US. National Toxicology Program (NTP) Report on Carcinogens:**

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended:**

**Germ Cell Mutagenicity**

**In vitro**  
**Product:** No data available.

**In vivo**  
**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**  
**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**  
**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:**

Constituents of this product may include crystalline silica which, if in inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestosiform or non-asbestosiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

000000031172

10/16



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

## Fish

**Product:** No data available.

### Specified substance(s):

Iodopropynyl butylcarbamate LC 50 (Rainbow trout, donaldson trout (*Oncorhynchus mykiss*), 96 h): 0.05 - 0.089 mg/l Mortality

3(2H)-Isothiazolone, 2-methyl- LC 50 (Zebra Fish, 96 h): > 150 mg/l  
LC 50 (*Oncorhynchus mykiss*, 96 h): 4.77 mg/l

## Aquatic Invertebrates

**Product:** No data available.

### Specified substance(s):

Iodopropynyl butylcarbamate LC 50 (Daphnia magna, 48 h): 0.16 mg/l Experimental result, Key study

3(2H)-Isothiazolone, 2-methyl- EC 50 (Daphnia magna, 48 h): 0.87 mg/l  
EC 50 (Daphnia magna, 48 h): 1.6 mg/l Experimental result, Key study

## Chronic hazards to the aquatic environment:

## Fish

**Product:** No data available.

### Specified substance(s):

Iodopropynyl butylcarbamate NOEL (Pimephales promelas): 8.4 µg/l experimental result

3(2H)-Isothiazolone, 2-methyl- NOEL (Pimephales promelas): 2.1 mg/l experimental result

## Aquatic Invertebrates

**Product:** No data available.

### Specified substance(s):

Aluminum oxide NOEC (Daphnia magna): 137 µg/l experimental result Experimental result, Weight of evidence

Iodopropynyl butylcarbamate NOEC (Daphnia magna): 49.9 µg/l experimental result Experimental result, Key study

3(2H)-Isothiazolone, 2-methyl- EC 50 (Daphnia magna): 1.4 mg/l experimental result Experimental result, Key study

NOEC (Daphnia magna): 0.044 mg/l experimental result Experimental result, Key study

## Toxicity to Aquatic Plants

**Product:** No data available.

## Persistence and Degradability

### Biodegradation

**Product:** No data available.



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

**Specified substance(s):**

Iodopropynyl butylcarbamate 11 % (29 d) Detected in water. Experimental result, Key study  
3(2H)-Isothiazolone, 2- methyl- 54.35 % (0.25 d) Sediment Experimental result, Key study

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

3(2H)-Isothiazolone, 2- methyl- Lepomis macrochirus, Bioconcentration Factor (BCF): 48.1 Aquatic sediment Experimental result, Key study

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in soil:**

No data available.

**Other adverse effects:**

Harmful to aquatic organisms.

### 13. Disposal considerations

**Disposal methods:**

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Contaminated Packaging:**

No data available.

### 14. Transport information

**TDG:**

Not Regulated

**CFR / DOT:**

Not Regulated

**IMDG:**

Not Regulated



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

**Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation.  
Please refer to Bill of Lading.

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs)  
(40 CFR 721 and 725, Subpt E)**

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended**

<b>Chemical Identity</b>	<b>OSHA hazard(s)</b>
Crystalline Silica	kidney effects
(Quartz)/ Silica Sand	lung effects
	immune system effects
	Cancer

**CERCLA Hazardous Substance List (40 CFR 302.4):**

<b>Chemical Identity</b>	<b>Reportable quantity</b>
Ammonium hydroxide	1000 lbs.
Methyl benzimidazole-2-yl carbamate	10 lbs.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Immediate (Acute) Health Hazards  
Respiratory or Skin Sensitization

**US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances**

Not Regulated.

**US. EPCRA (SARA Title III) Section 313 Toxic Chemical Release Inventory (TRI) Reporting**  
Not Regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

<b>Chemical Identity</b>	<b>Reportable quantity</b>
Ammonium hydroxide	lbs
Ammonium hydroxide	lbs

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**



**WARNING**

Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**International regulations**

**Montreal protocol**

Not applicable

**Stockholm convention**

Not applicable

**Rotterdam convention**

Not applicable

**Kyoto protocol**

Not applicable

**VOC:**

Regulatory VOC (less water and  
exempt solvent) : 29 g/l

VOC Method 310 : 0.88 %

**Inventory Status:**

Australia Industrial Chem. Act (AIIC):	One or more components in this product are not listed on or exempt from the Inventory.
Canada DSL Inventory List:	All components in this product are listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Ontario Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Mexico INSQ:	One or more components in this product are not listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
Taiwan Chemical Substance Inventory:	One or more components in this



EUCLID CHEMICAL

Version: 2.1  
Revision Date: 10/17/2025

product are not listed on or exempt from the Inventory.

US TSCA Inventory: All components in this product are listed on or exempt from the Inventory.

Switzerland New Subs Notified/Registered: One or more components in this product are not listed on or exempt from the Inventory.

Thailand DIW Existing Chemical Inv. List: One or more components in this product are not listed on or exempt from the Inventory.

Vietnam National Chemical Inventory: One or more components in this product are not listed on or exempt from the Inventory.

EC Inventory: One or more components in this product are not listed on or exempt from the Inventory.

## 16. Other information, including date of preparation or last revision

**Revision Date:** 10/17/2025

**Version #:** 2.1

**Further Information:** No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.